

AGREEMENT FOR PURCHASE AND SALE OF GOODS

Bid/Proposal No.

Contract No. _____

Project Name **5 Cubic Yard Dump Truck for Utilities Department**

THIS AGREEMENT FOR PURCHASE AND SALE OF GOODS (the "Agreement") is made this 2nd day of February, 2011, by and between Atlantic Truck Center, whose address is 2840 Center Port Circle, Pompano Beach, FL 33064 ("Seller") and THE CITY OF NAPLES, a Florida municipal corporation, the address of which is 735 Eighth Street South, Naples, Florida 34102 ("Buyer"). In consideration of the mutual covenants and agreements hereinafter set forth herein, and for other good and valuable consideration, the receipt and sufficiency of which are hereby mutually acknowledged, Buyer and Seller agree as follows:

1. **Description of Goods; Sale and Delivery.** Seller shall sell, transfer, and deliver to Buyer a 5 Cubic Yard Dump Truck as described on the Description/Proposal attached hereto and made a part of as Exhibit "A" subject to such terms as are set forth in the Description/Proposal and in this Agreement.

2. **Acceptance; Purchase.** Buyer shall accept the goods and pay a not-to-exceed sum of: \$67,655.00 for the goods in accordance with the terms of this Agreement.

3. **Identification of Goods.** Identification of the goods shall not be deemed to have been made until both Buyer and Seller have agreed that the goods in question are to be appropriate to the performance of this Agreement.

4. **Rate and Time of Payment.** Unless otherwise specified, Buyer shall make payment to Seller for the goods within 30 days after the goods are received by Buyer.

5. **Receipt of Goods.** The goods shall be deemed received by Buyer when delivered to Buyer at City of Naples, 370 Riverside Circle, Naples, Florida 34102. Delivery of the goods to Buyer shall occur on a business day and shall not occur after 3:15 p.m. on the delivery day.

6. **Risk of Loss.** The risk of loss from any casualty to the goods, regardless of the cause, shall be on Seller up to the time of receipt of the goods by Buyer at the place of delivery, but only after any proper inspection has been completed without rejection of the goods. Thereafter, such risk shall be on Buyer, including any goods thereafter returned to Seller until their receipt by Seller.

7. **Warranty Against Encumbrances.** Seller warrants that the goods are now free, and at the time of delivery shall be free, from any security interest or other lien or encumbrance.

8. **Warranty of Title.** Seller warrants that at the time of signing this Agreement, Seller neither knows, nor has reason to know, of the existence of any outstanding title or claim of title hostile to the rights of Seller in the goods.

9. **Product Warranty.** Seller provides general warranties of fitness and general warranties that the goods are free from defects, for 1 year from acceptance of the goods, except as may otherwise be set forth in the Description/Proposal, or other attached warranty.

10. **Right of Inspection.** Buyer shall have the right to inspect the goods at the time and place of delivery, and within 5 business days after delivery, Buyer must give notice to Seller of any claim for damages on account of the condition, quality, or grade of the goods, and Buyer must specify in detail the basis of such claim. The failure of Buyer to comply with these conditions shall constitute irrevocable acceptance of the goods by Buyer.

11. **Procedure as to Rejected Goods.** On receipt of notification of rejection, Seller will immediately arrange to receive back the goods for shipment and return. However, within 5 days, Seller may have an agent inspect such goods for nonconformity; otherwise, such inspection will be made on return to Seller's storage facility. When such goods are confirmed or acquiesced in as nonconforming, Seller will ship conforming goods within 30 days of the notice of rejection unless Buyer earlier notifies Seller to forgo such shipment.

12. **Governing Law.** The parties acknowledge that the transaction that is the subject matter of this Agreement bears a reasonable relation to the State of Florida and agree that the law of the State of Florida will govern their rights and duties. The parties specifically intend that the provisions of Article 2 of the Florida Uniform Commercial Code will control as to all aspects of this Agreement and its interpretation, and that all the definitions contained therein will be applicable to this Agreement except where this Agreement may expressly provide otherwise.

13. **Notices and Address of Record.** All notices required or made pursuant to this Agreement to be given by Seller to Buyer shall be in writing and shall be delivered by overnight courier, by hand or by United States Postal Service Department, first class mail service, postage prepaid, return receipt requested, addressed to the following:

To Buyer:

City of Naples
Attention: A. William Moss, City Manager
735 Eighth Street South
Naples, Florida 34102-3796

All notices required or made pursuant to this Agreement to be given by Buyer to Seller shall be made in writing and shall be delivered by overnight courier, by hand or by the United States Postal Service Department, first class mail service, postage prepaid, return receipt requested, addressed to the following:

To Seller:
Atlantic Truck Center
2840 Center Port Circle
Pompano Beach, FL 33064
Attn: Albert Johnsen, Contract Manager

Either party may change its address of record by written notice to the other party given in accordance with requirements of this Article.

15. **Counterparts.** This Agreement may be executed in any number of counterparts, each of which shall be deemed to be an original as against any party whose signature appears thereon and all of which shall together constitute one and the same instrument.

16. **Effective Date.** This Agreement shall take effect on the day of execution by the last party to execute this agreement.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement on the day first written above.

ATTEST:

"SELLER":
Atlantic Truck Center

(Corporate Seal)

(Print Name: _____)

By: _____
Authorized Representative

ATTEST:

"BUYER"
City of Naples, Florida

By: _____
Tara A. Norman, City Clerk

By: _____
A. William Moss, City Manager

Approved as to form and legal sufficiency:

By: _____
Robert D. Pritt, City Attorney

Agreement for Purchase and Sale of Goods
358322_1 97853_2

Prepared by:
 Drew Ellison
 ATLANTIC TRUCK CENTER
 2840 CENTER PORT CIRCLE
 POMPANO BEACH, FL 33064
 Phone: 407-862-7408

Q U O T A T I O N

M2 106 CONVENTIONAL CHASSIS	
SET BACK AXLE - TRUCK	AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
CUM ISB 6.7-240 240 HP @ 2300 RPM, 2600 GOV, 560 LB/FT @ 1600 RPM	12,000# TAPERLEAF FRONT SUSPENSION
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
RS-21-145 21,000# R-SERIES SINGLE REAR AXLE	3875MM (153 INCH) WHEELBASE
23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI
	1600MM (63 INCH) REAR FRAME OVERHANG

	TOTAL # OF UNITS (1)	PER UNIT	TOTAL
VEHICLE PRICE		\$	\$
EXTENDED WARRANTY		\$	\$
DEALER INSTALLED OPTIONS		\$	\$
CUSTOMER PRICE BEFORE TAX		\$	\$

TAXES AND FEES	
FEDERAL EXCISE TAX (FET)	\$ \$
TAXES AND FEES	\$ \$
OTHER CHARGES	\$ \$

TRADE-IN	
TRADE-IN ALLOWANCE	\$ (0) \$ (0)
BALANCE DUE	(LOCAL CURRENCY) \$ 64,765 \$ 64,765

FLORIDA STATE CONTRACT 070-700-122
 OPTIONS FOR 260 HP ENGINE IN LIEU OF 240 HP ADD \$2,890.00
 260 HP WILL WORK A LOT BETTER FOR A HEAVY 5 YD DUMP BODY

Application Version 7.3.317
 Data Version PRL-72H.030
 Naples City of 5yd dump



01/19/2011 11:10 AM
 Page 1 of 12

Prepared by:
 Drew Ellison
 ATLANTIC TRUCK CENTER
 2840 CENTER PORT CIRCLE
 POMPANO BEACH, FL 33064
 Phone: 407-862-7408

S P E C I F I C A T I O N P R O P O S A L

Description
Price Level
M2 PRL-72H (EFF:04/13/10)
Data Version
SPECPRO21 DATA RELEASE VER 030
Vehicle Configuration
M2 106 CONVENTIONAL CHASSIS 2011 MODEL YEAR SPECIFIED SET BACK AXLE - TRUCK STRAIGHT TRUCK PROVISION LH PRIMARY STEERING LOCATION
General Service
TRUCK CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) CONSTRUCTION SERVICE GOVERNMENT BUSINESS SEGMENT DIRT/SAND/ROCK COMMODITY TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS MAXIMUM 8% EXPECTED GRADE MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE MEDIUM TRUCK WARRANTY EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs
Truck Service
END DUMP BODY

Application Version 7.3.317
 Data Version PRL-72H.030
 Naples City of 5yd dump



01/19/2011 11:10 AM

Page 2 of 12

Prepared by:
Drew Ellison
ATLANTIC TRUCK CENTER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-862-7408

Description

EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE
FRAME "XX" INCHES : 32.0

Engine

CUM ISB 6.7-240 240 HP @ 2300 RPM, 2600 GOV,
560 LB/FT @ 1600 RPM

Electronic Parameters

75 MPH ROAD SPEED LIMIT
CRUISE CONTROL SPEED LIMIT SAME AS ROAD
SPEED LIMIT
PTO MODE ENGINE RPM LIMIT - 1100 RPM
PTO MODE BRAKE OVERRIDE - SERVICE
BRAKE ONLY ENABLED
PTO RPM WITH CRUISE SET SWITCH - 700 RPM
PTO RPM WITH CRUISE RESUME SWITCH - 800
RPM
PTO MODE CANCEL VEHICLE SPEED - 5 MPH
PTO GOVERNOR RAMP RATE - 250 RPM PER
SECOND
PTO MINIMUM RPM - 600
REGEN INHIBITIT SPEED THRESHOLD - 5 MPH

Engine Equipment

2010 EPA/CARB EMISSION CERTIFICATION
NO 2008 CARB EMISSION CERTIFICATION
ENGINE MOUNTED OIL CHECK AND FILL
ONE PIECE VALVE COVER
SIDE OF HOOD AIR INTAKE WITH FIREWALL
MOUNTED DONALDSON AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD
ALTERNATOR WITH REMOTE BATTERY VOLT
SENSE
(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT
MAINTENANCE FREE 1850 CCA THREADED
STUD BATTERIES
BATTERY BOX FRAME MOUNTED
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE UNDER CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN
NON-POLISHED BATTERY BOX COVER
CUMMINS 18.7 CFM AIR COMPRESSOR WITH
INTERNAL SAFETY VALVE
AIR COMPRESSOR DISCHARGE LINE



Prepared by:
Drew Ellison
ATLANTIC TRUCK CENTER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-862-7408

Description

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
STANDARD EXHAUST SYSTEM LENGTH
RH STANDARD HORIZONTAL TAILPIPE
6 GALLON DIESEL EXHAUST FLUID TANK
HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
CUMMINS SPIN ON FUEL FILTER
FULL FLOW OIL FILTER
950 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
RADIATOR DRAIN VALVE
LOWER RADIATOR GUARD
ALUMINUM FLYWHEEL HOUSING
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

WTEC CALIBRATION - 6 SPEED RDS/TRV (PACKAGE 113)
CUSTOMER INSTALLED CHELSEA 277 SERIES PTO
PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN



Description

PUSH BUTTON ELECTRONIC SHIFT CONTROL,
DASH MOUNTED
TRANSMISSION PROGNOSTICS -
DISABLED(N/A)
WATER TO OIL TRANSMISSION COOLER, IN
RADIATOR END TANK
TRANSMISSION OIL CHECK AND FILL WITH
ELECTRONIC OIL LEVEL CHECK
SYNTHETIC TRANSMISSION FLUID (TES-295
COMPLIANT)

Front Axle and Equipment

AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
MERITOR 15X4 Q+ CAM FRONT BRAKES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT
OIL SEALS
VENTED FRONT HUB CAPS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR AUTOMATIC FRONT SLACK
ADJUSTERS
TRW THP-60 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESERVOIR
SYNTHETIC 75W-90 FRONT AXLE LUBE

Front Suspension

12,000# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-21-145 21,000# R-SERIES SINGLE REAR
AXLE
6.43 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD
AXLE HOUSING
155T MERITOR MAIN DRIVELINE WITH HALF
ROUND YOKES
DRIVER CONTROLLED TRACTION
DIFFERENTIAL - SINGLE REAR AXLE



Prepared by:
Drew Ellison
ATLANTIC TRUCK CENTER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-862-7408

Description

(1) DRIVER CONTROLLED DIFFERENTIAL LOCK
REAR VALVE FOR SINGLE DRIVE AXLE
BLINKING LAMP WITH EACH MODE SWITCH,
DIFFERENTIAL UNLOCK WITH IGNITION OFF,
ACTIVE <5 MPH
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR
BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
NON-ASBESTOS REAR BRAKE LINING
BRAKE CAMS AND CHAMBERS ON FORWARD
SIDE OF DRIVE AXLE(S)
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR
OIL SEALS
HALDEX GOLDSEAL LONGSTROKE 1-DRIVE
AXLE SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK
ADJUSTERS
SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

23,000# FLAT LEAF SPRING REAR SUSPENSION
WITH HELPER AND RADIUS ROD
SPRING SUSPENSION - NO AXLE SPACERS
STANDARD U-BOLT PAD
FORE/AFT CONTROL RODS

Brake System

AIR BRAKE PACKAGE
WABCO 4S/4M ABS WITHOUT TRACTION
CONTROL
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
AIR DRYER FRAME MOUNTED
STEEL AIR BRAKE RESERVOIRS
NO AIR TANK-AUXILIARY
STANDARD AIR SYSTEM PRESSURE
PROTECTION SYSTEM



Prepared by:
 Drew Ellison
 ATLANTIC TRUCK CENTER
 2840 CENTER PORT CIRCLE
 POMPANO BEACH, FL 33064
 Phone: 407-862-7408

Description
PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS NO VEHICLE STABILITY ADVISOR OR CONTROL
Trailer Connections
UPGRADED CHASSIS MULTIPLEXING UNIT UPGRADED BULKHEAD MULTIPLEXING UNIT
Wheelbase & Frame
3875MM (153 INCH) WHEELBASE 11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI 1600MM (63 INCH) REAR FRAME OVERHANG FRAME OVERHANG RANGE: 61 INCH TO 70 INCH SQUARE END OF FRAME FRONT CLOSING CROSSMEMBER STANDARD WEIGHT ENGINE CROSSMEMBER STANDARD MIDSHIP #1 CROSSMEMBER(S) STANDARD REARMOST CROSSMEMBER STANDARD SUSPENSION CROSSMEMBER
Chassis Equipment
THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS FRONT TOW HOOKS - FRAME MOUNTED BUMPER MOUNTING FOR SINGLE LICENSE PLATE BETTS B-25 PAINTED MUDFLAP BRACKETS KONETA SAFETY GUARD ANTI-SPRAY/SAIL BLACK MUDFLAPS, NO LOGO FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD GRADE 8 THREADED HEX HEADED FRAME FASTENERS
Fuel Tanks
80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH RECTANGULAR FUEL TANK(S) PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS



Description
FUEL TANK(S) FORWARD PLAIN STEP FINISH FUEL TANK CAP(S) ALLIANCE FUEL FILTER/WATER SEPARATOR WITH PRIMER PUMP EQUIFLO INBOARD FUEL SYSTEM HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
Tires
CONTINENTAL HSL2 11R22.5 16 PLY RADIAL FRONT TIRES CONTINENTAL HDL ECO PLUS 11R22.5 14 PLY RADIAL REAR TIRES
Hubs
CONMET PRE-SET BEARING IRON FRONT HUBS CONMET PRE-SET BEARING IRON REAR HUBS
Wheels
HAYES LEMMERZ 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC FRONT WHEELS HAYES LEMMERZ 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS
Cab Exterior
106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB RUBBER CAB MOUNTS NO FENDER EXTENSION LH AND RH GRAB HANDLES PAINTED PLASTIC GRILLE ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE FIBERGLASS HOOD SINGLE 11 INCH ROUND AIR HORN UNDER DECK SINGLE ELECTRIC HORN SINGLE HORN SHIELD DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME REAR LICENSE PLATE MOUNT END OF FRAME INTEGRAL HEADLIGHT/MARKER ASSEMBLY (5) AMBER MARKER LIGHTS DAYTIME RUNNING LIGHTS



Description

INTEGRAL STOP/TAIL/BACKUP LIGHTS
 STANDARD FRONT TURN SIGNAL LAMPS
 DUAL WEST COAST BRIGHT FINISH MIRRORS
 DOOR MOUNTED MIRRORS
 102 INCH EQUIPMENT WIDTH
 LH AND RH 8" BRIGHT FINISH CONVEX
 MIRRORS MOUNTED UNDER PRIMARY
 MIRRORS
 STANDARD SIDE/REAR REFLECTORS
 NO CAB MOUNTED STEPS
 63X14 INCH TINTED REAR WINDOW
 TINTED DOOR GLASS LH AND RH WITH TINTED
 NON-OPERATING WING WINDOWS
 MANUAL DOOR WINDOW REGULATORS
 TINTED WINDSHIELD
 2 GALLON WINDSHIELD WASHER RESERVOIR
 WITH FLUID LEVEL INDICATOR, FRAME
 MOUNTED

Cab Interior

OPAL GRAY VINYL INTERIOR
 MOLDED PLASTIC DOOR PANEL
 MOLDED PLASTIC DOOR PANEL
 BLACK MATS WITH SINGLE INSULATION
 NO DASH MOUNTED ASH TRAYS AND LIGHTER
 FORWARD ROOF MOUNTED CONSOLE WITH
 UPPER STORAGE COMPARTMENTS WITHOUT
 NETTING
 IN DASH STORAGE BIN
 (2) CUP HOLDERS LH AND RH DASH
 GRAY/CHARCOAL FLAT DASH
 NO WINDSHIELD FAN
 HEATER, DEFROSTER AND AIR CONDITIONER
 STANDARD HVAC DUCTING
 MAIN HVAC CONTROLS WITH RECIRCULATION
 SWITCH
 STANDARD HEATER PLUMBING
 DENSO HEAVY DUTY AIR CONDITIONER
 COMPRESSOR
 BINARY CONTROL, R-134A
 CAB INSULATION
 SOLID-STATE CIRCUIT PROTECTION AND
 FUSES



Description

12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOME LIGHT WITH 3-WAY SWITCH ACTIVATED
BY LH AND RH DOORS
CAB DOOR LATCHES WITH MANUAL DOOR
LOCKS
FULL WIDTH BENCH SEAT
NO FRONT PASSENGER SEAT
LH AND RH INTEGRAL DOOR PANEL ARMRESTS
VINYL WITH VINYL INSERT DRIVER SEAT
3 POINT DRIVER AND PASSENGER AND 2 POINT
CENTER FRONT SEAT BELT RETRACTORS
FIXED STEERING COLUMN
4-SPOKE 18 INCH (450MM) STEERING WHEEL
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

BLACK GAUGE BEZELS
GRAY DRIVER INSTRUMENT PANEL
GRAY CENTER INSTRUMENT PANEL
LOW AIR PRESSURE LIGHT AND BUZZER
2 INCH PRIMARY AND SECONDARY AIR
PRESSURE GAUGES
INTAKE MOUNTED AIR RESTRICTION
INDICATOR WITHOUT GRADUATIONS
PRECO 1040 87 DB TO 112 DB AUTOMATIC
SELF-ADJUSTING BACKUP ALARM
ELECTRONIC CRUISE CONTROL WITH
SWITCHES IN LH SWITCH PANEL
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE
DISPLAY: 1X7 CHARACTER, 26 WARNING
LAMPS, DATA LINKED, ICU3
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN,
SAE J1939, LOCATED BELOW DASH
2 INCH ELECTRIC FUEL GAUGE
PROGRAMMABLE RPM CONTROL -
ELECTRONIC ENGINE
ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE
TRANSMISSION OIL TEMPERATURE INDICATOR
LIGHT



Description

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
 ELECTRIC ENGINE OIL PRESSURE GAUGE
 AM/FM/WB RADIO WITH FRONT AUXILIARY INPUT
 DASH MOUNTED RADIO
 (2) RADIO SPEAKERS IN CAB
 AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
 ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
 ELECTRONIC 3000 RPM TACHOMETER
 IDLE LIMITER, ELECTRONIC ENGINE
 NO TRAILER HAND CONTROL BRAKE VALVE
 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
 SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
 MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
 ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
 INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: N0006EA WHITE ELITE SS
 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
 VENDOR WHITE FRONT WHEELS/RIMS
 VENDOR WHITE REAR WHEELS/RIMS
 BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX

Certification / Compliance

U.S. FMVSS CERTIFICATION

Secondary Factory Options

NO PDI INSTALLED TRAILER CONN TRIM



Prepared by:
 Drew Ellison
 ATLANTIC TRUCK CENTER
 2840 CENTER PORT CIRCLE
 POMPANO BEACH, FL 33064
 Phone: 407-862-7408

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

2010 ENGINE EMISSIONS ESCALATOR
 DELIVERY & ORDER PROCESSING CHARGE

Dealer Installed Options

	Weight Front	Weight Rear	Price
5 YD DUMP BODY WITH CAB SHIELD BACKUP ALARM MUDFLAPAS	0	0	
Total Dealer Installed Options	0 LBS	0 LBS	

