CITY OF NAPLES, FLORIDA

AGREEMENT (PROFESSIONAL SERVICES)

Project Name	Pipe Lining Service
Contract No.	

THIS AGREEMENT (the "Agreement") is made and entered into this 1st day of June, 2011, by and between the City of Naples, a Florida municipal corporation, (the "CITY") and **Lanzo Lining Services, Inc.,**, a Florida corporation, **the address of record of which is set out below**, (the "CONTRACTOR").

125 SE 5th Court Deerfield Beach, FL 33441

Bid/Proposal No. 021-11

WITNESSETH:

WHEREAS, the CITY desires to obtain the services of the CONTRACTOR concerning **certain services specified in this Agreement** (referred to as the "Project"); and

WHEREAS, the CONTRACTOR has submitted a proposal for provision of those services; and

WHEREAS, the CONTRACTOR represents that it has expertise in the type of professional services that will be required for the Project.

NOW, THEREFORE, in consideration of the mutual covenants and provisions contained herein, the parties hereto agree as follows:

ARTICLE ONE CONTRACTOR'S RESPONSIBILITY

- 1.1. The Services to be performed by CONTRACTOR are generally described as sanitary sewer and stormwater pipe lining services, and may be more fully described in the Scope of Services, attached as Exhibit A and made a part of this Agreement.
- 1.2. The CONTRACTOR agrees to obtain and maintain throughout the period of this Agreement all such licenses as are required to do business in the State of Florida, the City of Naples, and in Collier County, Florida, including, but not limited to, all licenses required by the respective state boards and other governmental agencies responsible for regulating and licensing the professional services to be provided and performed by the CONTRACTOR pursuant to this Agreement.
- 1.3. The CONTRACTOR agrees that, when the services to be provided hereunder relate to a professional service which, under Florida Statutes, requires a license, certificate of authorization or other form of legal entitlement to practice such services, it shall employ or retain only qualified personnel to provide such services.
- 1.4. CONTRACTOR agrees to employ and designate, in writing, within 5 calendar days after receiving its Notice to Proceed, or other directive from the CITY, a qualified licensed professional to serve as the CONTRACTOR's project manager (the "Project Manager"). The Project Manager shall be authorized and responsible to act on behalf of the CONTRACTOR with respect to directing, coordinating and administering all aspects of the services to be provided and performed under this Agreement.

- 1.5. The CONTRACTOR has represented to the CITY that it has expertise in the type of professional services that will be required for the Project. The CONTRACTOR agrees that all services to be provided by CONTRACTOR pursuant to this Agreement shall be subject to the CITY's review and approval and shall be in accordance with the generally accepted standards of professional practice in the State of Florida, **as may be applied to the type of services to be rendered**, as well as in accordance with all published laws, statutes, ordinances, codes, rules, regulations and requirements of any governmental agencies which regulate or have jurisdiction over the Project or the services to be provided and performed by CONTRACTOR. In the event of any conflicts in these requirements, the CONTRACTOR shall notify the CITY of such conflict and utilize its best professional judgment to advise CITY regarding resolution of the conflict.
- 1.6. The CONTRACTOR agrees not to divulge, furnish or make available to any third person, firm or organization, without CITY's prior written consent, or unless incident to the proper performance of the CONTRACTOR's obligations hereunder, or in the course of judicial or legislative proceedings where such information has been properly subpoenaed, any non-public information concerning the services to be rendered by CONTRACTOR hereunder, and CONTRACTOR shall require all of its employees, agents, subconsultants and subcontractors to comply with the provisions of this paragraph. **However, the CONTRACTOR shall comply with the Florida Public Records laws.**
- 1.7 The CONTRACTOR agrees not to employ or offer to employ any Elected Officer or City Managerial Employee of the CITY who in any way deals with, coordinates on, or assists with, the professional services provided in this Agreement, for a period of 2 years after termination of all provisions of this Agreement. For purposes of this paragraph, the term "Elected Officer" shall mean any member of the City Council. For purposes of this paragraph, the term "City Managerial Employee" shall mean the City Manager, the Assistant City Manager, the City Clerk, and any City department head or director. If the CONTRACTOR violates the provisions of this paragraph, the CONTRACTOR shall be required to pay damages to the CITY in an amount equal to any and all compensation which is received by the former Elected Officer or City Managerial Employee of the CITY from or on behalf of the contracting person or entity, or an amount equal to the former Elected Officer's or City Managerial Employee's last 2 years of gross compensation from the CITY, whichever is greater.
- 1.8 The CONTRACTOR agrees not to provide services for compensation to any other party other than the CITY on the same subject matter, same project, or scope of services as set forth in this Agreement without approval from the City Council of the CITY.
- 1.9. Except as otherwise provided in this Agreement, the CONTRACTOR agrees not to disclose or use any information not available to members of the general public and gained by reason of the CONTRACTOR's contractual relationship with the CITY for the special gain or benefit of the CONTRACTOR or for the special gain or benefit of any other person or entity.

ARTICLE TWO CITY'S RESPONSIBILITIES

- 2.1. The CITY shall designate in writing a project coordinator to act as the CITY's representative with respect to the services to be rendered under this Agreement (the "Project Coordinator"). The Project Coordinator shall have authority to transmit instructions, receive information, interpret and define the CITY's policies and decisions with respect to the CONTRACTOR's services for the Project. However, the Project Coordinator is not authorized to issue any verbal or written orders or instructions to the CONTRACTOR that would have the effect, or be interpreted to have the effect, of modifying or changing in any way whatever:
 - (a) The scope of services to be provided and performed by the CONTRACTOR;
 - (b) The time the CONTRACTOR is obligated to commence and complete all such services; or

(c) The amount of compensation the CITY is obligated or committed to pay the CONTRACTOR.

Any such modifications or changes ((a) (b) or (c)) shall only be made by or upon the authorization of the CITY's city manager as authorized by city council in the enabling legislation or in the CITY's procurement policies.

- 2.2. The Project Coordinator shall:
- (a) Review and make appropriate recommendations on all requests submitted by the CONTRACTOR for payment for services and work provided and performed in accordance with this Agreement;
- (b) Arrange for access to and make all provisions for the CONTRACTOR to enter the Project site to perform the services to be provided by the CONTRACTOR under this Agreement; and
- (c) Provide notice to the CONTRACTOR of any deficiencies or defects discovered by the CITY with respect to the services to be rendered by the CONTRACTOR hereunder.
- 2.3. The CONTRACTOR acknowledges that access to the Project Site, to be arranged by the CITY for the CONTRACTOR, may be provided during times that are not the normal business hours of the CONTRACTOR.

ARTICLE THREE TIME

- 3.1. Services to be rendered by the CONTRACTOR shall be commenced subsequent to the execution of this Agreement upon written Notice to Proceed from the CITY for all or any designated portion of the Project and shall commence on **June 1, 2011 for a three year period with the City's option to exercise two additional one-year renewals.** Time is of the essence with respect to the performance of this Agreement.
- 3.2. Should the CONTRACTOR be obstructed or delayed in the prosecution or completion of its services as a result of unforeseeable causes beyond the control of the CONTRACTOR, and not due to its own fault or neglect, including but not restricted to acts of God or of public enemy, acts of government or of the CITY, fires, floods, epidemics, quarantine regulations, strikes or lock-outs, then the CONTRACTOR shall notify the CITY in writing within 5 working days after commencement of such delay, stating the cause or causes thereof, or be deemed to have waived any right which the CONTRACTOR may have had to request a time extension.
- 3.3. No interruption, interference, inefficiency, suspension or delay in the commencement or progress of the CONTRACTOR's services from any cause whatsoever, including those for which the CITY may be responsible in whole or in part, shall relieve the CONTRACTOR of its duty to perform or give rise to any right to damages or additional compensation from the CITY. The CONTRACTOR's sole remedy against the CITY will be the right to seek an extension of time to its schedule. This paragraph shall expressly apply to claims for early completion, as well as claims based on late completion.
- 3.4. Should the CONTRACTOR fail to commence, provide, perform or complete any of the services to be provided hereunder in a timely and reasonable manner, in addition to any other rights or remedies available to the CITY hereunder, the CITY at its sole discretion and option may withhold any and all payments due and owing to the CONTRACTOR until such time as the CONTRACTOR resumes performance of its obligations hereunder in such a manner so as to reasonably establish to the CITY's satisfaction that the CONTRACTOR's performance is or will shortly be back on schedule.

ARTICLE FOUR COMPENSATION

4.1. The total compensation to be paid the CONTRACTOR by the CITY for all Services shall not exceed Rev. 8/13/08

\$300,000.00 per project or assignment and shall be paid in the manner set forth in the "Basis of Compensation", which is attached as **Exhibit B** and made a part of this Agreement.

ARTICLE FIVE MAINTENANCE OF RECORDS

5.1. The CONTRACTOR will keep adequate records and supporting documentation which concern or reflect its services hereunder. The records and documentation will be retained by the CONTRACTOR for a minimum of five 5 years from the date of termination of this Agreement or the date the Project is completed, whichever is later. the CITY, or any duly authorized agents or representatives of the CITY, shall have the right to audit, inspect and copy all such records and documentation as often as they deem necessary during the period of this Agreement and during the 5 year period noted above; provided, however, such activity shall be conducted only during normal business hours. If the CONTRACTOR desires to destroy records prior to the minimum period, it shall first obtain permission from the CITY in accordance with the Florida Public Records laws.

ARTICLE SIX INDEMNIFICATION

6.1. The CONTRACTOR agrees to indemnify and hold harmless the City from liabilities, damages, losses and costs, including, but not limited to, reasonable attorneys' fees, to the extent caused by the negligence, recklessness, or intentional wrongful misconduct of the CONTRACTOR and persons employer or utilized by the CONTRACTOR in the performance of the Contract.

ARTICLE SEVEN INSURANCE

7.1. CONTRACTOR shall obtain and carry, at all times during its performance under **this Agreement**, insurance of the types and in the amounts set forth in the document titled General Insurance Requirements, which is attached as **Exhibit C and made a part of** this Agreement.

ARTICLE EIGHT SERVICES BY CONTRACTOR'S OWN STAFF

8.1. The services to be performed hereunder shall be performed by the CONTRACTOR's own staff, unless otherwise authorized in writing by the CITY. The employment of, contract with, or use of the services of any other person or firm by the CONTRACTOR, as independent contractor or otherwise, shall be subject to the prior written approval of the CITY. No provision of this Agreement shall, however, be construed as constituting an agreement between the CITY and any such other person or firm. Nor shall anything contained in this Agreement be deemed to give any such party or any third party any claim or right of action against the CITY beyond such as may otherwise exist without regard to this Agreement.

ARTICLE NINE WAIVER OF CLAIMS

9.1. The CONTRACTOR's acceptance of final payment shall constitute a full waiver of any and all claims, except for insurance company subrogation claims, by it against the CITY arising out of this Agreement or otherwise related to the Project, except those previously made in writing and identified by the CONTRACTOR as unsettled at the time of the final payment. Neither the acceptance of the CONTRACTOR's services nor payment by the CITY shall be deemed to be a waiver of any of the CITY's rights against the CONTRACTOR.

ARTICLE TEN TERMINATION OR SUSPENSION

- 10.1. The CONTRACTOR shall be considered in material default of this Agreement and such default will be considered cause for the CITY to terminate this Agreement, in whole or in part, as further set forth in this section, for any of the following reasons: (a) failure to begin work under the Agreement within the times specified under the Notice(s) to Proceed, or (b) failure to properly and timely perform the services to be provided hereunder or as directed by the CITY, or (c) the bankruptcy or insolvency or a general assignment for the benefit of creditors by the CONTRACTOR or by any of the CONTRACTOR's principals, officers or directors, or (d) failure to obey laws, ordinances, regulations or other codes of conduct, or (e) failure to perform or abide by the terms or spirit of this Agreement, or (f) for any other just cause. The CITY may so terminate this Agreement, in whole or in part, by giving the CONTRACTOR at least 3 calendar days' written notice.
- 10.2. If, after notice of termination of this Agreement as provided for in paragraph 10.1 above, it is determined for any reason that the CONTRACTOR was not in default, or that its default was excusable, or that the CITY otherwise was not entitled to the remedy against the CONTRACTOR provided for in paragraph 10.1, then the notice of termination given pursuant to paragraph 10.1 shall be deemed to be the notice of termination provided for in paragraph 10.3 below and the CONTRACTOR's remedies against the CITY shall be the same as and limited to those afforded the CONTRACTOR under paragraph 10.3 below.
- 10.3. The CITY shall have the right to terminate this Agreement, in whole or in part, without cause upon 7 calendar day's written notice to the CONTRACTOR. In the event of such termination for convenience, the CONTRACTOR's recovery against the CITY shall be limited to that portion of the fee earned through the date of termination, together with any retainage withheld and any costs reasonably incurred by the CONTRACTOR that are directly attributable to the termination, but the CONTRACTOR shall not be entitled to any other or further recovery against the CITY, including, but not limited to, anticipated fees or profits on work not required to be performed.

ARTICLE ELEVEN CONFLICT OF INTEREST

11.1. The CONTRACTOR represents that it presently has no interest and shall acquire no interest, either direct or indirect, which would conflict in any manner with the performance of services required hereunder. The CONTRACTOR further represents that no persons having any such interest shall be employed to perform those services.

ARTICLE TWELVE MODIFICATION

12.1. No modification or change in this Agreement shall be valid or binding upon the parties unless in writing and executed by the party or parties intended to be bound by it.

ARTICLE THIRTEEN NOTICES AND ADDRESS OF RECORD

13.1. All notices required or made pursuant to this Agreement to be given by the CONTRACTOR to the CITY shall be in writing and shall be delivered by hand or by United States Postal Service Department, first class mail service, postage prepaid, return receipt requested, addressed to the following CITY's address of record:

City of Naples 735 Eighth Street South Naples, Florida 34102-3796

Attention: A. William Moss, City Manager

13.2. All notices required or made pursuant to this Agreement to be given by the CITY to the CONTRACTOR shall be made in writing and shall be delivered by hand or by the United States Postal Service Department, first class mail service, postage prepaid, return receipt requested, addressed to the following CONTRACTOR's address of record:

Lanzo Lining Services, Inc.

125 SE 5th court

Deerfield Beach, FL 33441

Attn: Guiseppe D'Alessandro, President

13.3. Either party may change its address of record by written notice to the other party given in accordance with requirements of this Article.

ARTICLE FOURTEEN MISCELLANEOUS

- 14.1. The CONTRACTOR, in representing the CITY, shall promote the best interest of the CITY and assume towards the CITY a duty of the highest trust, confidence, and fair dealing.
- 14.2. No modification, waiver, suspension or termination of the Agreement or of any terms thereof shall impair the rights or liabilities of either party.
- 14.3. This Agreement is not assignable, in whole or in part, by the CONTRACTOR without the prior written consent of the CITY.
- 14.4. Waiver by either party of a breach of any provision of this Agreement shall not be deemed to be a waiver of any other breach and shall not be construed to be a modification of the terms of this Agreement.
- 14.5. The headings of the Articles, Exhibits, Parts and Attachments as contained in this Agreement are for the purpose of convenience only and shall not be deemed to expand, limit or change the provisions in such Articles, Exhibits, Parts and Attachments.
- 14.6. This Agreement constitutes the entire agreement between the parties hereto and shall supersede, replace and nullify any and all prior agreements or understandings, written or oral, relating to the matter set forth herein, and any such prior agreements or understanding shall have no force or effect whatever on this Agreement.
- Sec. 14. 7. The CONTRACTOR shall comply fully with all provisions of state and federal law, including without limitation all provisions of the Immigration Reform and Control Act of 1986 ("IRCA") as amended, as well as all related immigration laws, rules, and regulations pertaining to proper employee work authorization in the United States. The CONTRACTOR shall execute the Certification of Compliance with Immigration Laws, attached hereto as **Exhibit "D"**.

ARTICLE FIFTEEN APPLICABLE LAW

15.1. Unless otherwise specified, this Agreement shall be governed by the laws, rules, and regulations of the State of Florida, and by the laws, rules and regulations of the United States when providing services funded by the United States government. Any suit or action brought by either party to this Agreement against the other party relating to or arising out of this Agreement must be brought in the appropriate Florida state court in Collier County, Florida.

written above.

ATTEST:

CITY:

CITY OF NAPLES, FLORIDA,
A Municipal Corporation

By:

Tara A. Norman, City Clerk

A. William Moss, City Manager

Approved as to form and legal sufficiency:

By:

Robert D. Pritt, City Attorney

CONTRACTOR:
Lanzo Lining Services, Inc.
A Florida Corporation

By:

By:

By:

CONTRACTOR:
C

IN WITNESS WHEREOF, the parties hereto have executed this Agreement for the day and year first

(CORPORATE SEAL)

General Contract (not Architects/Engineers)

Witness

EXHIBIT A

SCOPE OF SERVICES

The Services to be provided under this Agreement are those set out below [or in Exhibit A-1 through A-_], attached and made part of this Exhibit A.



REQUEST FOR PROPOSAL

CITY OF NAPLES
PURCHASING DIVISION
CITY HALL 735 8TH STREET SOUTH
NAPLES, FL 34102

PH: 239-213-7100 FX: 239-213-7105

	PRE-PROPOSAL CONFERENCE: DATE, TIM	E AND LOCATION:	
1/24/11	RFP PIPE LINING SERVICE	021-11	2/28/11 2:00PM
NOTIFICATION DATE:	TITLE:	NUMBER:	OPENING DATE & TIME

NAM	E OF PARTNERSHIP, CORPORATION OR INDIVIDUAL:		
La	nzo Lining Services, Inc., Florida		
IIAM	ING ADDRESS:		
12	25 SE 5th Court		
CITY	-STATE-ZIP:		
[Deerfield Beach, FL 33441		
PH:	954-973-9700	EMAIL: deborahv@lanzo.org	
FX:	954-974-3894	web address: www.lanzo.net	

I certify that this proposal is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a proposal for the same materials, supplies, or equipment or services and is in all respects fair and without collusion or fraud. I agree to abide by all conditions of this proposal and certify that I am authorized to sign this proposal for the proposer. In submitting a proposal to the City of Naples the proposer offers and agrees that if the proposal is accepted, the proposer will convey, sell, assign or transfer to the City of Naples all rights, title, and interest in and to all causes of action it may now or hereafter acquire under the Anti-trust laws of the United States and the State of FL for price fixing relating to the particular commodities or services purchased or acquired by the City of Naples. At the City's discretion, such assignment shall be made and become effective at the time the City tenders final payment to the proposer.

AUTHORIZED SIGNATURE

DATE

2/22/11

Please initial by all that apply

I acknowledge receipt of the following sidendum

X Addendum #1

Addendum #2

Addendum #3

Addendum #3

PLEASE NOTE THE FOLLOWING:

- > This page must be completed and returned with your proposal.
- > Proposals must be submitted in a sealed envelope, with the proposal number & closing date.
- Proposals received after the above closing date and time will not be accepted.
- Proposal tabulations will be available on the City of Naples web site <u>www.naplesgov.com</u>, Departments, Finance, Purchasing.

This project provides for the rehabilitation of pipelines and conduits (6 inch through 72 inches) and laterals by various trenchless methods on an "as needed" basis. These rehabilitation methods may be used in a variety of gravity and pressure applications such as sanitary sewers, force mains, and stormwater systems. Pipelines for rehabilitation on this project consist primarily of vitrified clay pipe, with some ductile iron pipe, reinforced concrete pipe and corrugated metal pipe. The City reserves the right to award separate contracts for the various trenchless methods. The decision on which method will be used in any given situation will be made at the sole discretion of the repairs assigned to the Contractor may prioritization by the City. The City may order the Contractor to accomplish the work in accordance with a given chronological sequence. The locations of rehabilitation work will be as directed by the City's designated representative. The City will issue task orders to the contractor on an as needed basis.

The City of Naples seeks to establish contractual arrangements with at least one (1) or more (up to 5) qualified Contractor(s), on an as needed basis, for a three-year period, with the City's option to renew for two additional one-year periods, to provide cured in place pipe lining services for the City's sanitary sewer and stormwater systems, in full compliance with regulatory agency requirements and consistent with current Occupational Safety and Health Administration (OSHA) regulations, Florida Department of Environmental Protection (FDEP), and the Florida Department of Transportation (FDOT) Construction Standards.

Those services would include:

- Cured in place pipe (CIPP) lining (of various thicknesses) of sanitary sewers, force mains, and stormwater systems piping ranging from six (6) inch to seventy-two (72) inch and of various lengths.
- Sectional CIPP linings (of various lengths) of sanitary sewers, force mains, and stormwater systems piping ranging from six (6) inch to seventy-two (72) inches.
- Lateral CIPP linings in thirty (30) feet increments, including initial (zero (0) to thirty (30) feet) and greater (thirty (30) feet and greater) in one (1) foot increments.
- Service reconnections, service connection grouting and cleanout assembly installation for four (4), six (6), and eight (8) inch laterals.

- Top hat/full wrap linings of four (4), six (6), and eight (8) inch laterals.
- Light, medium, heavy, and tuberculation cleaning and inspection of sanitary sewers and stormwater systems piping ranging from six (6) to seventy-two (72) inches of various lengths.
- Root removal within sanitary sewers and stormwater systems piping ranging from six (6) to seventy-two (72) inches of various lengths.
- Bypassing of sanitary sewers and stormwater systems piping ranging from six (6) to seventy-two (72) inches of various lengths.
- Pre and post work closed circuit televising (CCTV) of sanitary sewers and stormwater systems piping ranging from six (6) inch to seventy-two (72) inches and of various lengths.
- Managing and operating the Maintenance of Traffic (MOTs) associated with work in City, County, and State right-of-ways.
- Easement access of sanitary sewers and stormwater systems.
- Manhole/lift station refurbishment for the various manholes and lift station per the City's specifications (02607 and 02608).
- Mobilization and demobilization.
- Dewatering capabilities in order to accommodate operations within low lying areas that are impacted by ground water and tidal activities.
- Site restoration activities associated with any projects or excavation activities requiring sod installation, irrigation system repairs, landscape installation/ replacement, road repairs (per FDOT Construction Standards), asphalt patching, concrete work (driveways and sidewalks), brick paver repairs, grading, and etc.

Contractors need not be qualified for all of the requested services in this proposal. However, for those specific services identified, contractors must be qualified and have sufficient resources necessary

to perform all aspects related to the area of expertise of this RFP including the ability to manage a major workforce including possibly multiple sub-contractors and cover the expenses associated with the operations prior to the initial payment and between subsequent payments, as well as providing the necessary bonding and insurance coverage.

Contractor experience with and knowledge of OSHA, AWWA, FDEP and FDOT regulations, Construction Standards, and procedures will be vital to the City of Naples's successful pipe lining activities. Each contractor should have specific knowledge and compliance with Traffic Management, Trench Safety, and Confined Space. A detailed scope of services will be negotiated with the successful proposer(s).

Traffic Control and Barriers

The Contractor shall notify the appropriate agencies a minimum of two (2) working days prior to any construction affecting traffic flow. All traffic control devices and barriers utilized during construction shall be provided by the Contractor as stipulated under items notated in the submitted proposal and meet there requirements set forth in the Florida State Department Transportation Manual on Traffic Control and Safe Practices for Highway Construction, Maintenance and and Operations. Failure or refusal, on the part of the Contractor, to install, maintain, and/or position traffic control devices or barriers promptly, fully, and in an acceptable manner, shall be sufficient cause for the City, after twenty-four (24) notice, to perform the work with its own organization, or to contract with any other individual, firm or corporation to perform the work. All costs and expenses incurred thereby shall be charged against the Contractor, and the amount thereof deducted from any money due, or which may become due him, or shall be charged against the contract bond. Any work performed as described by this paragraph, shall not relieve the Contractor in any way of his responsibility for the work performed by him.

Bypass Pumping

The City lines, during most repair work, may be plugged to prevent the continuous flow of wastewater or stormwater into the area of work. At the direction of the City, the Contractor will install bypass pumping equipment to reroute flow, as an alternate to line plugging. The Contractor will be responsible for mobilization, setup, coordination, and operation of all bypass pumping equipment and vacuum truck resources including any additional traffic control measures that may be required. Bypass

Rev. 8/13/08

pumping will be continued until directed to cease by the City. The City shall identify the appropriate discharge location for all flow that is bypass pumped.

FOLLOWING IS A LIST OF VEHICLES, EQUIPMENT AND MACHINERY

LANZO LINING SERVICES Florida

Unit	Year	Make	Model	Description	Serial #
205	2006	INTERNATIONAL	7600	JDS VACTOR (Model) 2115	1HTWXSAT66J317409
206	1994	INTERNATIONAL		INTL 4900 BOILER TRUCK	1HTSDAAN4RH575166
207	1994	INTERNATIONAL		INTL 4900 BOILER TRUCK	1HTSDAAN4RH577158
211	1997	INTERNATIONAL		INTL FLATBED BOILER	1HTSCAAN2VH496110
212	1997	INTERNATIONAL		INTL FLATBED BOILER	1HTSCAAN4VH496111
215	2001	FORD	F550	F-550 CHASSIS ARIES TV	1FDAF56F21EB80514
216	2001	FORD	F550	F-550 CHASSIS ARIES TV	1FDAF56F51EB80538
219	1997	FORD	LT 9501	1998 FORD / VAC-CON	1FDYN80E7WVA07744
221	1991	INTERNATIONAL	4700	INTL 4700 REFRIGERATOR TRUCK	1HTSCNDNXMH320973
222	1991	INTERNATIONAL	4700	INTL 4700 REFRIGERATOR TRUCK	1HTSCNDN8MH320972
223	1991	INTERNATIONAL	4700	INTL 4700 REFRIGERATOR TRUCK	1HTSCNDPXMH338178
225	2005	FORD	E350	T V Hightop Cargo Van	1FTSS34P25HA21050
-	2002	AEROCAP	Hi-Cube	T V Hi-Cube TV / Cutter Truck	1FDXE45S72HA53473
-	1998	INTERNATIONAL	4900	22' Reefer Truck	1HTSDAAN7WH538043
239	1998	INTERNATIONAL	4900	22' Reefer Truck	1HTSDAAN4WH538047
241	2006	FORD	F550	F-550 CHASSIS ARIES TV	1FDAF56P46ED91584
243	2007	FORD	F550	F-550 CHASSIS ARIES TV	1FDAF56P27EB06978
245	1995	FORD	F350	F-350 CHASSIS ARIES TV	1FTJS34FXSHA80331
247	2008	FORD	S-DTY F-750	Rush Steam Unit	3FRXF75H78V644136
249	2008	RUSH	F-750 / RSU 000	Rush Steam Unit	3FRXF75H58V644135
251	2009	VACTOR		VACTOR-7600 SFA 6X4 (VACTOR S/N 08-07V-11295)	1HTWXSBT99J086217
253	2009	VACTOR		VACTOR-7600 SFA 6X4 (VACTOR S/N 08-07V-11300)	1HTWXSBT09J086218
300	2003	SEWER EQUIP. CO		Gate Easement Machine (White)	5FLRP12173B145145
300T	2005	TRIPLE CROWN	5X10 Utility Trailer	5X10 Utility Trailer 3K GVW	1XNU5X10551010395
301	1995	GLOBE		Trailer 48' w/ Double Boilers - GREY	44RF03522SF000244
302	1996			CARGO EXPRESS CUTTER TRAILER	ICE09614119960098
302M	1996			INTERSTATE TRAILER - BEAVER CUTTER	1UK500F20T1019012
303	1995	SRECO	MD HV 1800	JET TRAILER with SULLAIR Air Compressor	4H5W31729SL952004
307	1006	CARGO EXPRESS		Cutting Trailer-SULLAIR Air Compressor	1CE03714T19962464

CES	
ERVI	
ING S	
=	
ANZC	

Equipment, Machinery, Vehicle Listing

1996	OBRIEN	700JP	JET TRAILER with SULLAIR Air Compressor	99644817296041080
2002			LARGE SEWER TRANSPORTER-ARIES	YT02012204
2005	PACE		LATERAL LINING TRAILER	4FPAB20215G092594
2007	HONDA	GX340	HONDA 5000W TRAILER MOUNTED GENERATOR	1034389
2007			HOTKICK HEATER UNIT OM-148 LATERAL LINING	01470
2004			HOTKICK HEATER UNIT OM-148 LATERAL LINING	01493
1000			MAX LINER GLIN	LG001001

LANZO LINING SERVICES Florida

_	2004	SOEHNLE		SOEHNLE DIGITAL SCALE	LATERAL LINING	(199
312	2004			VACUUM PUMP	LATERAL LINING	LG000043
+-	2004			HAND CALIBRATION ROLLER	LATERAL LINING	KR000001
315	2006	PACE AMERICAN	SL816TA2	TOP HAT Trailer 16'		4FPAB16286G104419
+	2006	BLACKROCK	TRAILER	BLACKROCK UTILITY TRAILER 8000HD	8000HD	2SWUW11A96S044474
319		INGERSOLLR	P185WIR	INGERSOLLR AIR COMPRESSOR	R.	343329/NOVIN0200661278
321	2000	O'BRIEN	24	O'BRIEN JET TRAILER		1Z93PJ2E8YL119086
323	2007	EATON	SHOOTER	TRAILER MOUNTED - SHOOTER	~	1E9BS12147W267079
325	2007		350 JET TRAILER	ET TRAILER MODEL 350 TRAILER JET - 600 GALLON	GALLON	2435
327	1970	NE		DROP DECK TRAILER		43611
327A	1999	RITE	750-WO	RITE WATER HEATING BOILER BOX	BOX	26868
327B	1999	RITE	750-WO	RITE WATER HEATING BOILER BOX	BOX	26887
350	1982	PENDING RENEWAL		45' REFRIGERATED TRAILER		1GRBE8625CB080301
351	1985	GREAT DANE	Reefer	45' REFRIGERATED TRAILER-SILVER	ILVER	1GRAA9020FS112503
352	1994			HOME MADE TRAILER		NOVIN000082795184
353	1992			48' REFRIGERATED TRAILER-WHITE	JHITE	IDTV61Z22NA206931
354	1978			COPCO FLATBED TRAILER 45' X 96"	.96 X	15389
355				SECA EASEMENT TRAILER		6524
357	1998	UTILITY	VS2R-48/162/102	VS2R-48/162/102 48' REFRIGERATED TRAILER		1UYVS2480WM689603
401	2007	WACKER	BS 50-2	JUMPING JACK / VIBRATORY RAMMER	AMMER	5707172 / 5442964
585	1994	TAYLOR	TE155S	TAYLOR FORKLIFT TE155S		S-B5-21221
587	2001	TAYLOR	THD610	TAYLOR FORKLIFT THD610		29911
640	1998			CAT 938 F WHEEL LOADER w/gp Bucket	p Bucket	1KM01745
902	2004			Rotating Chain Cutter 8"-16" Pipes	S	10.200R
707	2005	ENZ	EU10200RS	Rotating Chain Cutter 8"-16" Pipes	S	
708	2003			CHAIN CUTTER 16"		
709				CHAIN CUTTER		10.400R
710	2009	TURBOII	CHAIN CUTTER	FLEXIBLE 6" - 12" CHAIN CUTTER	ER	P/N 1-0403
711		SUPER CUTTER	PLUS 200	SUPER CUTTER PLUS 200 CHAIN CUTTER	IN CUTTER	200151-C
712				BEAVER CUTTER B-165		BDO 8206
712				BEAVER CUTTER B-165	The second secon	BDO 8106

LANZO LINING SERVICES Florida

719				BEAVER CUTTER B-165	BF 09311
720				BEAVER CUTTER B112 MINI	MF 02811
723		Management of the Control of the Con		CUES CAMERA (PAN & TILT)	690
724				CUES CAMERA (STRAIGHTLINE)	020
725				CUES CAMERA (PAN & TILT)	078
726				CUES CAMERA (PAN & TILT)	010
727	2004			"LETS" LATERAL CAMERA	04101801
729	2005	ARIES	PE-2600	Color Pan & Tilt Camera	05091101
731	2005	ARIES	PE-2600	Color Pan & Tilt Camera	05091101
732	2005	FLOW-TEK	LJ300C	8"21" Lumberjack 300 Series	
733	2007	NozzTeg	LJ300C	8"21" Lumberjack 300 Series	
735	2007	RIDGID	KD200	MINI SEE SNAKE	STOLEN
737	2007	ARIES	SEEKER	SELF LEVELING CAMERA W/200' PUSH ROD	SK3200
750	1999			36 X 60 DOME HEAD PLUG	
751				48 X 78 PLUG	
752	2005			20 X 40 FLOW-THRU PLUG	
775				RIDGID 23717 DRAIN CLEANER	Mod # 23717
776				BEAVER CUTTER B-165	
777				BEAVER CUTTER B-165	
800	1997			STANLEY HYDRAULIC UNIT-PORTABLE	640
801	2000			HYD. POWER UNIT W/PUMP10209	7907
802				SHAR MIXER D-300	61098693
803			-	SHAR MIXER	
804		OLDER MODEL BOX		IN-LINE MIXER	
805		NEWER MODEL BOX		IN-LINE MIXER	
908				CONVEYOR ROLLER SYSTEM	
807		1		CONVEYOR ROLLER SYSTEM	
ROR				INDUSTRIAL ICE MACHINE	

LANZO LINING SERVICES Florida

	OR	E1373878	D1731886	B1562351			HRA2512			a and deconstruction			The state of the s		And the second s		1. A A A A A A A A A A A A A A A A A A A	I	107842	260020UJG245	263500UB245	3 004-124324	3 004-124331		3 200705160126	03021801	1259219		
ICE GRINDER	OVER-THE-HOLE ROLLER & CONVEYOR	BECKER VACUUM PUMP KVT-2140	BECKER VACUUM PUMP KVT-3140	CHAMPION COMPRESSOR-SHOP	20K RESIN STORAGE TANK	20K RESIN STORAGE TANK	40K RESIN STORAGE TANK	40K RESIN STORAGE TANK	40K RESIN STORAGE TANK	Diaphragm Pump	Diaphragm Pump	Diaphragm Pump	Diaphragm Pump	INDUSTRIAL ICE MACHINE	2" Diaphragm Vacuum Pump - 3/4 HP Motor	80 IR 100 AIR COMPRESSOR	P100WD IR AIR COMPRESSOR	96 100CFMIR AIR COMPRESSOR	SULLAIR 185 DPG AIR COMPRESSOR	PROSCOUT COLOR CAMERA	Honda 2" Water Pump		8hp Gas Compressor (Honda) w/Regulator						
		KVT-2140	KVT-2140															PD20A-AAP-STT						185 DPQ			WB20X/WB30X		7722HK28
		BECKER	BECKER	BECKER	BECKER	BECKER											COMMERCILA ICE	INGERSOL RAND						SULLAIR	SULLAIR		HONDA		ROL-AIR
																		2006	1980			1997	1997	2007	2007				2007
809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	827	829	901	902	903	904	905	907	606	910	911	-	913

2

LANZO LINING SERVICES Florida

NOVINOZUOU/ 6813	TPM41011J1566V393	1898	050830YA	56282	33832	T04039D5580294039	33606	28525	36991	340028	WT40XK2 GX340K1	3TH-5255	3TH-5212	4TH-0370	4TH-0709	GCAAT-1529760	1106117	1122831	1106081	11899		05	1122942	03166		GC05-3872817			ENG #HY168FB/B2017299	3TH-8710
4-INCH THOMPSON PUMP / TRAILER MTD.	6-INCH THOMPSON VAC-ASST PUMP	Manhole Blower (Electric Motor)	Manhole Blower (BRIGGS & STRATTEN Engine)	ALLEGRO MANHOLE BLOWER 9505	Manhole Blower (Honda Engine)	6" TRASH PUMP (Red) (Serial #96103)		4" TRASH PUMP	4" TRASH PUMP	PARTNER K-700 CUT OFF SAW	4" Trash Pump (Honda)	3" Trash Pump (Honda)	3" Trash Pump (Honda)	4" Trash Pump (Honda)	4" Trash Pump (Honda)	2" Water Pump (Honda)	4" Trash Pump (Honda)	3" Trash Pump (Honda)	4" Trash Pump (Honda)	3" Trash Pump	4" TRASH PUMP - ATTACHED UNIT 225	INDUSTRIAL GENERATOR - ATTACHED TO U#212	3" TRASH PUMP	4" PUMP	2" Water Pump (Honda) / REPLACES UNIT #941	HONDA GENERATOR	BROWNIES THIRD LUNG-C260X	ALUMINUM SHOOTER FOR CIPP	GENERATOR - 3500	
		9504	GP8		GP8H						WT40X	ОРЗТН	ОРЗТН	QP4TH	QP4TH	WB20X	WT40X	WT30X	WT40X	QP3TH MQ	WT40X	SEP-21.0	WT30X	EPT3100HA	WB20X	EB5000X			3500	
		ALLEGRO	GENERAL	ALLEGRO	GENERAL	PERFORMANCE					HONDA	MULTIQUIP	MULTIQUIP	MULTIQUIP	MULTIQUIP	HONDA	HONDA	HONDA	HONDA	MULTIQUIP	HONDA	KUBOTA	HONDA	TSURUMI	HONDA	HONDA			POWER PRO	
1994	1996	2006	2006	1999	2005	2000	2007	2001	2002	2002	2005	2005	2006	2006	2006	2005	2007	2007	2007	2007		2008	2008	2008	2008			2004	2006	
921	922	923	925	927	900	920	930	931	932	933	935	936	937	938	939	941	943	945	947	949	951	953	955	957	959	961	975	976	977	

LANZO LINING SERVICES Florida

ENG #HY168FB/B2017370	ENG #GC02-5669839	164677109	235068	166644774	166477798	A5-76789	A5-76788	A5-74599	A5-45079	A5-45083	168695551	11006153	168392018C		8X3020450	9Y4020012
GENERATOR - 3500	GENERATOR - (Honda)	14" CHAIN SAW	METAL DETECTOR - REBAR LOCATOR	Cut off Saw	CUT OFF SAW	MULTIGAS DETECTOR (P/N10047226)	TS420 STIHL SAW	26CC POWER PRUNER/POLE SAW	14" CUTQUIK SAW	AIR IMPACT WRENCH 11IN	MULTIGAS DETECTOR (RED)	MULTIGAS DETECTOR (RED)				
3500	EM2500	MS200T	GA-5Z-CX	TS400	TS-400	SOLARIS	SOLARIS	SOLARIS	SOLARIS	SOLARIS	TS420	PPT265	TS420		GX-2001 (N)	GX-2001 (N)
POWER PRO	HONDA	STIHL	SCHONSTEDT	STIHL	STIHL	MSA	MSA	MSA	MSA	MSA	STIHL		STIHL		RKI	RKI
2006	2006	2007	2007	2007	2007	2007	2007	2007	2006	2006	2008	2008	2008	2010	2009	2010
981	983	385	987	989	991	866	995	997	666	1001	1003	1005	1007	1009	1011	1013

EXHIBIT B

BASIS OF COMPENSATION

As consideration for providing the Services as set forth in the Agreement, the CITY agrees to pay, and the CONTRACTOR agrees to accept payment on a time and reimbursement cost basis [or other basis] as follows [or in Exhibit B-1, which is attached and made part of this Agreement]:

Sanitary Sewer Bid Schedule:

NO.			UNIT
	DESCRIPTION	UNIT	PRICE
. Traffic	Control		
a.	Traffic Control County Road (per day)	LS	\$ 1,200.
b.	Traffic Control County Road (per week)	LS	\$ 4,800.
. Sanitar	y Sewer Line Cleaning		
а.	Medium Cleaning		<u> </u>
1.	6" diameter	LF	\$ 2,00
2.	8" diameter	LF	\$ 2.00
3.	10" diameter	LF	\$ 2.00
4.	12" diameter	LF	\$ 2.00
b.	Heavy Cleaning		
1.	6" diameter	LF	\$ 3.00
2.	8" diameter	LF	\$ 3.00
3.	10" diameter	LF	\$ 3,00
4.	12" diameter	LF	\$ 3,00
C.	Tuberculation		
1.	6" diameter	LF	\$ 4.00
2.	8" diameter	LF	\$ 6.00
3.	10" diameter	LF	\$ 8.00
4.	12" diameter	LF	\$ 10.00
d.	Root Removal		
1.	6" diameter	LF	\$ 5,00
2.	8" diameter	LF	\$ 5,00
3.	10" diameter	LF	\$ 5,00
4.	12" diameter	LF	\$ 5,00
	y Sewer Refurbishment		

BID NUMBER: OPENING DATE:

			T
1. CIPP lii	ning		
a.	6" diameter		
1	4.5 mm nominal thickness (.177)	LF	\$ 48.00
b.	8" diameter		
1	6.0 mm nominal thickness (.236)	LF	\$ 32.00
2		LF	\$ 32,00
3	9.0 mm nominal thickness (.354)	LF	\$ 32.00
C.	10" diameter		
1	6.0 mm nominal thickness (.236)	LF	\$ 34.00
2	7.5 mm nominal thickness (.295)	LF	\$ 34.00
3	9.0 mm nominal thickness (.354)	LF	\$ 34.00
d.	12" diameter		
1.		LF	\$ 38.00
2		LF	\$ 42.00
3.		LF	\$ 42.00
2. Section	al CIPP Lining		
a.	6" diameter		
1.	3' in length	EA	\$ 1,000.0
2.	4' in length	EA	\$ 1,200,00
3.	6' in length	EA	\$ 1,400.0
4.	8' in length	EA	\$ 1,600.00
b.	8" diameter		
1.		EA	\$ 1,0000
2.	4' in length	EA	\$ 1,200,00
3.	6' in length	EA	\$ 1,400,00
4.	8' in length	EA	\$ 1,600.00
C.	10" diameter		
1,		EA	\$ 1,000.00
2.	4' in length	EA	\$ 1,200.00

3.	6' in length	EA	4 1 400 00
4.	8' in length	EA	\$ 1,600.00
			71,000.
d.	12" diameter		
1.	3' in length	EA	\$ 1,200.00
2.	4' in length	EA	1 , 400.00
3.	6' in length	EA	\$ 1,600.00
4.	8' in length	EA	\$ 1,800.00
			1,
3. Lateral C	CIPP Lining		
a.	Top hat / full wrap - up to 36 inches		
1.		EA	\$ 2,200,00
2.	Six (6) inch lateral connection	EA	\$ 2,400.50
3.	Eight (8) inch lateral connection	EA	\$ 2,800.00
b.	Lateral lining 0 to 30'	EA	\$ 4,200,00
C.	Additional lateral lining >30'	LF	\$ 80.00
d.	Lateral cutout	EA	\$ 200,00
е.	Lateral grout	EA	\$ 300.00
4. Manhole	<u>/Lift Station Refurbishment</u>		
a.	Interior Manhole Application (Precast)	SF	\$ 25,00
b.	Interior Manhole Application (Brick)	SF	\$ 25.00
C.	Interior Lift Station Application (Precast)	SF	\$ 40.00
d.	Interior Lift Station Application (Brick)	SF	\$ 40.00
е.	Bench/Invert Repair	EA	\$ 500.00
5. Cleanout	Installation		
a.	Four (4) inch cleanout	EA	\$ 800.00
b.	Six (6) inch cleanout	EA	\$ 1,000.00
C.	Eight (8) inch cleanout	EA	\$ 1,200.00

Stormwater Bid Schedule:

ITEM			UNIT
NO.	DESCRIPTION	UNIT	PRICE
. Storm S	Sewer Cleaning		
a.	Medium Cleaning		
1.	8" – 12" diameter	LF	\$ 2.0
2.	14" - 18" diameter	LF	\$ 2.0
3.	20" - 24" diameter	LF	\$ 4.00
4.	27" - 42" diameter	LF	\$ 4.00
5.	48" - 72" diameter	LF	\$ 8.00
b.	Heavy Cleaning		
	8" – 12" diameter	LF	\$ 6.0
2.		LF	\$ 6.
3.		LF	\$ 10.
4.		LF	\$ 10.
5.	48" - 72" diameter	LF	\$ 24.
C.	Tuberculation Cleaning		
	8" – 12" diameter	LF	\$ 12.
2.	14" - 18" diameter	LF	\$ 14.0
3.		LF	\$ 14.0
4.		LF	\$ 28
5.		LF	\$ 40.
d.	Root Removal		
u. 1.		LF	\$ 5.
2.	14" - 18" diameter		
3.	20" – 24" diameter	LF LF	
4.	27" - 42" diameter	LF	\$ 15.
5.	48" - 72" diameter	LF	\$ 20
J.	40 - 72 diameter	LF	\$ 25.
O4	D. f. Link		
. Storm S	ewer Refurbishment		

CIPP Lir	ning			
	O" "			
a.	8" diameter			
1.	(1200)	LF	#	42.
2.	7.5 mm nominal thickness (.295)	LF	\$	42
3.	9.0 mm nominal thickness (.354)	LF_	3	42.
4.	1.5 mm thickness increase exceeding 9.0 mm	LF	\$_	1.0
b.	12" diameter	1	+	
1.	6.0 mm nominal thickness (.236)	LF	#	48.0
2.	7.5 mm nominal thickness (.295)	LF	4	48
3.	9.0 mm nominal thickness (.354)	LF	\$	48.
4.	1.5 mm thickness increase exceeding 9.0 mm	LF	8	1.
C.	15" diameter			
1.	6.0 mm nominal thickness (.236)	LF	\$	34.5
2.	7.5 mm nominal thickness (.295)	LF	1	443
3.	9.0 mm nominal thickness (.354)	LF	*	54.
4.	1.5 mm thickness increase exceeding 9.0 mm	LF	\$	1.0
d.	18" diameter	 		-
1.	6.0 mm nominal thickness (.236)	LF	1	42.
2.	7.5 mm nominal thickness (.295)	LF	*	42.
3.	9.0 mm nominal thickness (.354)	LF	*	62
4.	10.5 mm nominal thickness (.413)	LF	1	62.
5.	1.5 mm thickness increase exceeding 10.5 mm	LF	\$	1.0
е.	21" diameter	+	-	
1.	6.0 mm nominal thickness (.236)	LF	\$	50.
2.	7.5 mm nominal thickness (.295)	LF	1.*	50,
3.	9.0 mm nominal thickness (.354)	LF	\$	60.
4.	10.5 mm nominal thickness (.413)	LF	1	70.
5.	12.0 mm nominal thickness (.472)	LF	\$	70
6.	1.5 mm thickness increase exceeding 12.0 mm	LF	*	1.0
f.	24" diameter			
1.	9.0 mm nominal thickness (.354)	LF	3	68.0
2.	10.5 mm nominal thickness (.413)	LF	1	78.
3.	12.0 mm nominal thickness (.472)	LF	1	88.

4.	13.5 mm nominal thickness (.531)	LF	\$ 880
5.	15.0 mm nominal thickness (.591)	LF	\$ 88.0
6.	1.5 mm thickness increase exceeding 15.0 mm	LF	\$ 1.00
g.	27" diameter		
1.	9.0 mm nominal thickness (.354)	LF	\$ 62.
2.	10.5 mm nominal thickness (.413)	LF	\$ 72.0
3.	12.0 mm nominal thickness (.472)	LF	\$ 92.0
4.	13.5 mm nominal thickness (.531)	LF	\$ 92.0
5.	15.0 mm nominal thickness (.591)	LF	\$ 92.
6.	1.5 mm thickness increase exceeding 15.0 mm	LF	\$ 1.0
h.	30" diameter		
1.		LF	\$ 70.
2.	10.5 mm nominal thickness (.413)	LF	\$ 80.0
3.	12.0 mm nominal thickness (.472)	LF	\$ 90.0
4.	13.5 mm nominal thickness (.531)	LF	\$ 100
5.	15.0 mm nominal thickness (.591)	LF	\$ 1100
6.	1.5 mm thickness increase exceeding 15.0 mm	LF	\$ 1.0
i.	36" diameter		
1.	10.5 mm nominal thickness (.413)	LF	\$ 90.0
2.	12.0 mm nominal thickness (.472)	LF	\$ 1000
3.	13.5 mm nominal thickness (.531)	LF	\$ 120
4.	15.0 mm nominal thickness (.591)	LF	\$ 130.
5.	16.5 mm nominal thickness (.650)	LF	\$ 130,
6.	18.0 mm nominal thickness (.709)		\$ 130.
7.	1.5 mm thickness increase exceeding 18.0 mm	LF	\$ 1.0
j.	42" diameter		
1.	10.5 mm nominal thickness (.413)	LF	\$ 1000
2.	12.0 mm nominal thickness (.472)	LF	\$ 110
3.	13.5 mm nominal thickness (.531)	LF	\$ 140.
4.	15.0 mm nominal thickness (.591)	LF	\$ 180
5.	16.5 mm nominal thickness (.650)	LF	\$ 200
6.	18.0 mm nominal thickness (.709)		\$ 200.
7.	1.5 mm thickness increase exceeding 18.0 mm	LF	\$ 1.0

1.	10.5 mm nominal thickness (.413)	LF	\$ 110.00
2.	12.0 mm nominal thickness (.472)	LF	\$ 120.00
3.	13.5 mm nominal thickness (.531)	LF	\$ 130.00
4.	15.0 mm nominal thickness (.591)	LF	\$ 180.00
5.	16.5 mm nominal thickness (.650)	LF	\$ 220.
6.	18.0 mm nominal thickness (.709)	LF	\$ 240.00
7.	19.5 mm nominal thickness (.768)	LF	\$ 240.00
8.	21.0 mm nominal thickness (.827)	LF	\$ 240.00
9.	1.5 mm thickness increase exceeding 21.0 mm	LF	\$ 1.00
I.	52" diameter	+	
1.	10.5 mm nominal thickness (.413)	LF	\$ 220.00
2.	12.0 mm nominal thickness (.472)	LF	\$ 240.00
3.	13.5 mm nominal thickness (.531)	LF	\$ 280.00
4.	15.0 mm nominal thickness (.591)	LF	\$ 300.00
5.	16.5 mm nominal thickness (.650)	LF	\$ 320.0
6.	18.0 mm nominal thickness (.709)	LF	\$ 380.0
7.	19.5 mm nominal thickness (.768)	LF	\$ 400.0
8.	21.0 mm nominal thickness (.827)	LF	\$ 1000
9.	22.5 mm nominal thickness (.886)	LF	\$ 400.00
10.	1.5 mm thickness increase exceeding 22.5 mm	LF	\$ 1.02
m.	54" diameter		
1.	10.5 mm nominal thickness (.413)	LF	d 2200
	12.0 mm nominal thickness (.472)	LF	\$ 340.0
3.	13.5 mm nominal thickness (.531)	LF	1.
4.	15.0 mm nominal thickness (.591)	LF	\$ 380.0
 5.	16.5 mm nominal thickness (.650)	LF	\$ 420.00
6.	18.0 mm nominal thickness (.709)	LF	\$ 480.00
	19.5 mm nominal thickness (.768)	LF	\$ 520.00
8.	21.0 mm nominal thickness (.827)	LF	
9.	22.5 mm nominal thickness (.886)	LF	\$ 540.0
10.	1.5 mm thickness increase exceeding 22.5 mm	LF	\$ 560.0
	CO" diameter		
n. 1	60" diameter		1 0000
1.	10.5 mm nominal thickness (.413)	LF	\$ 340,00
2.	12.0 mm nominal thickness (.472)	LF	\$ 380.00
3.	13.5 mm nominal thickness (.531) 15.0 mm nominal thickness (.591)	LF LF	\$ 480.00

6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	
6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	520.00
8. 21.0 mm nominal thickness (.827)	540.00
8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm 1. 10.5 mm nominal thickness (.413) 2. 12.0 mm nominal thickness (.472) 3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.531) 5. 16.5 mm nominal thickness (.591) 6. 18.0 mm nominal thickness (.650) 7. 19.5 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	40.00
9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm 1. 10.5 mm nominal thickness (.413) 2. 12.0 mm nominal thickness (.472) 3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.590) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.708) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	40.00
10. 1.5 mm thickness increase exceeding 22.5 mm 1. 10.5 mm nominal thickness (.413) 2. 12.0 mm nominal thickness (.472) 3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.708) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF # 62 2. Sectional Lining a. 6" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) 20" diameter (3' in length) 20" diameter (3' in length) 24" diameter (3' in length) EA # 6.8 24" diameter (3' in length) EA # 6.8 24" diameter (3' in length) EA # 6.8 EA #	540.00
1. 10.5 mm nominal thickness (.413) 2. 12.0 mm nominal thickness (.472) 3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.709) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	20.00
2. 12.0 mm nominal thickness (.472) 3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.708) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	
2. 12.0 mm nominal thickness (.472) 3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.708) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF 2. Sectional Lining a. 6" diameter (3' in length) 8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) 50" diameter (3' in length) 510 diameter (3' in length) 520 diameter (3' in length) 531 diameter (3' in length) 532 diameter (3' in length) 533 diameter (3' in length) 548 diameter (3' in length) 55 diameter (3' in length) 56 diameter (3' in length) 57 diameter (3' in length) 58 diameter (3' in length) 59 diameter (3' in length) 50 diameter (3' in length) 51 diameter (3' in length) 52 diameter (3' in length) 53 diameter (3' in length) 54 diameter (3' in length) 55 diameter (3' in length) 56 diameter (3' in length) 57 diameter (3' in length) 58 diameter (3' in length) 59 diameter (3' in length) 50 diameter (3' in length) 51 diameter (3' in length) 52 diameter (3' in length) 53 diameter (3' in length) 54 diameter (3' in length) 55 diameter (3' in length) 56 diameter (3' in length) 57 diameter (3' in length) 58 diameter (3' in length) 59 diameter (3' in length) 50 diameter (3' in length) 51 diameter (3' in length) 52 diameter (3' in length) 53 diameter (3' in length) 54 diameter (3' in length) 57 diameter (3' in length) 58 diameter (3' in length) 59 diameter (3' in length) 50 diameter (3' in length) 50 diameter (3' in length) 51 diameter (3' in length) 52 diameter (3' in length) 53 diameter (3' in length) 54 diameter (3' in length) 55 dia	40.00
3. 13.5 mm nominal thickness (.531) 4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF 2. Sectional Lining a. 6" diameter (3' in length) 8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) 20" diameter (3' in length) 24" diameter (3' in length) 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) EA 36" diameter (3' in length) EA 48" diameter (3' in length) EA 5 48" diameter (3' in length) EA 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	30.00
4. 15.0 mm nominal thickness (.591) 5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	160,00
5. 16.5 mm nominal thickness (.650) 6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	180.00
6. 18.0 mm nominal thickness (.709) 7. 19.5 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	80,00
8. 21.0 mm nominal thickness (.768) 8. 21.0 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	00.00
9. 22.5 mm nominal thickness (.827) 9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	20.00
9. 22.5 mm nominal thickness (.886) 10. 1.5 mm thickness increase exceeding 22.5 mm LF	20,00
2. Sectional Lining a. 6" diameter (3' in length) 8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) 20" diameter (3' in length) 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) EA 332 48" diameter (3' in length) EA 533 60" diameter (3' in length) EA 533	40.00
2. Sectional Lining a. 6" diameter (3' in length) 8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) 24" diameter (3' in length) 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) EA 38 36" diameter (3' in length) EA 53 60" diameter (3' in length) EA 60" diameter (3' in length) EA 53 60" diameter (3' in length) EA 60" diameter (3' in length) EA 53 60" diameter (3' in length) EA 60" diameter (3' in length)	40.00
a. 6" diameter (3' in length) 8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) EA 20" diameter (3' in length) EA 24" diameter (3' in length) EA 36" diameter (3' in length) EA 48" diameter (3' in length) EA 538 60" diameter (3' in length) EA 538 60" diameter (3' in length) EA 539 60" diameter (3' in length) EA 60" diameter (3' in length) EA 60" diameter (3' in length) EA 60" diameter (3' in length)	
8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) EA 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) EA 5 60" diameter (3' in length)	
8" diameter (3' in length) 10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) EA 18" diameter (3' in length) EA 20" diameter (3' in length) EA 24" diameter (3' in length) EA 36" diameter (3' in length) EA 53 60" diameter (3' in length)	000.00
10" diameter (3' in length) 12" diameter (3' in length) 18" diameter (3' in length) 20" diameter (3' in length) EA 24" diameter (3' in length) EA 36" diameter (3' in length) EA 48" diameter (3' in length) EA 538 60" diameter (3' in length)	200.00
18" diameter (3' in length) 20" diameter (3' in length) EA	400.0
20" diameter (3' in length) 20" diameter (3' in length) 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) EA 48" diameter (3' in length) EA 538 60" diameter (3' in length) EA 538 60" diameter (3' in length) EA 538	600.00
20" diameter (3' in length) 24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) 60" diameter (3' in length) EA 33 EA 36 EA BA BA BA BA BA BA BA BA BA	800.00
24" diameter (3' in length) 36" diameter (3' in length) 48" diameter (3' in length) EA # 5 60" diameter (3' in length) EA # 6 EA # 7 EA	400,00
36" diameter (3' in length) 48" diameter (3' in length) EA 60" diameter (3' in length) EA 8 8	3000
48" diameter (3' in length) 60" diameter (3' in length) EA 8 8	200.0
60" diameter (3' in length) EA 8 8	6000
700 11 12 12 12 12 12 12 12 12 12 12 12 12	8000
1/12	
	,



125 S.E. 5th Court Deerfield Beach, Florida 33441 Office: (954) 973-9700 Fax: (954) 974-3894

www.lanzo.net

WARRANTY

We offer a FIVE (5) YEAR warranty for all materials and workmanship. Having over sixteen (16) years experience with testing methods as described herein, we feel comfortable that exceeding the performance anticipated with methods presently being utilized by Lanzo Lining Services should be easily demonstrated.

Our standard approach to warranty is that should there be a problem, we would then implement a repair as needed. The negatives that emanate from not satisfying the client in this regard, especially as it pertains to ongoing work as well as reference value outweigh the cost of the repair. We have installed over 6,000,000 lineal feet of CIPP rehabilitation without a problem.

Should we utilize any subcontractor to perform on this project such as manhole rehabilitation or traffic control, we would be willing to extend our warranty responsibility to their portion of the work as well.

An Equal Opportunity Employer

EXHIBIT C

GENERAL INSURANCE REQUIREMENTS

The Contractor shall not commence work until he has obtained all the insurance required under this heading, and until such insurance has been approved by the CITY, nor shall the Contractor allow any subcontractor to commence work until all similar insurance required of the subcontractor has also been obtained and approved by the CITY.

Certificates of insurance must be issued by an authorized representative of the insurance company at the request and direction of the policyholder and must include sufficient information so as to identify the coverage and the contract for CITY's improvements for which they are issued. Certificates of insurance must be issued by a nationally recognized insurance company with a Best's Rating of no less than B+VII, satisfactory to the CITY, and duly licensed to do business in the state of said Contract.

The Contractor shall procure and maintain, during the life of this Contract, Workmen's Compensation Insurance for all of his employees to be engaged in work under this Contract, and he shall require any subcontractor similarly to provide Workmen's Compensation Insurance for all of the latter's employees to be engaged in such work, unless such employees are covered by the protection afforded by the Contractor's insurance. In case any employees are to be engaged in hazardous work under this Contract, and are not protected under this Workmen's Compensation statute, the Contractor shall provide, and shall cause each subcontractor to provide, adequate coverage for the protection of such employees. It is acceptable to use a State-approved Workmen's Compensation Self-Insurance fund.

The Contractor shall take out and maintain during the life of this Contract, Public Liability and Property Damage and shall include Contractual Liability, Personal Injury, Libel, Slander, False Arrest, Malicious Prosecution, Wrongful Entry or Eviction, Broad Form Property Damage, Products, Completed Operations and XCU Coverage to be included on an occurrence basis, and to the full extent of the Contract to protect him, the CITY, and any subcontractor performing work covered by this Contract from damages for personal injury, including accidental death, as well as from claims for property damage, which may arise from operations under this contract, whether such operations be by himself or by a subcontractor, or by anyone directly or indirectly employed by either of them. The Contractor shall also maintain automobile liability insurance including "non-owned and hired" coverage. The entire cost of this insurance shall be borne by the Contractor.

The amount of such insurance shall be no less than \$1,000,000 annual aggregate for bodily injury and property damage combined per occurrence.

The City of Naples and their Engineer must be named as **Additional Insured** on the insurance certificate <u>and the following must also be stated on the certificate</u>. "These coverages are primary to all other coverages the City possesses for this contract only." The City of Naples shall be named as the Certificate Holder. **The Certificate Holder shall read as follows:**

The City of Naples 735 Eighth Street South Naples, Florida 34102

No City Division, Department, or individual name should appear on the Certificate.

<u>No other format will be acceptable.</u>

Thirty (30) days cancellation notice required.

The Certificate must state the bid number and title.

When using the "Accord" form of insurance certificate, please note that under the cancellation clause, the following must be deleted: "endeavor to" and "but failure to mail such notice shall impose no obligation or liability of any kind upon the company"

[If other insurance or insurance requirements or any waivers, attach as Exhibit C-1through C-__]

EXHIBIT D

CERTIFICATION OF COMPLIANCE WITH IMMIGRATION LAWS

The undersigned, is the	of	Lanzo	Lining	Services,	Inc.	("the C	CONTR	ACTOR'	'), and
hereby certifies to the following:									

- 1. The CONTRACTOR is in full compliance with all provisions of the Immigration Reform and Control Act of 1986 ("IRCA"), as well as all related immigration laws, rules, regulations pertaining to proper employee work authorization in the United States.
- 2. The undersigned has verified that the CONTRACTOR has obtained and maintains on file, and will continue to obtain and maintain on file, all documentation required by law, including but not limited to, Form I-9, Employment Eligibility Verification, for all persons employed by or working for the CONTRACTOR in any capacity on any project for the City of Naples (CITY). All such persons have provided evidence of identity and eligibility to work to the CONTRACTOR in accordance with the IRCA and related law. The undersigned hereby affirms that no person has been or will be employed by the CONTRACTOR to work on projects for the CITY who is not authorized to work under law. The undersigned further affirms that the CONTRACTOR's files will be updated by written notice any time that additional employees work on projects for the CITY.
- 3. The CONTRACTOR will have its contractors, subcontractors, suppliers and vendors who are involved in projects for the CITY to sign a written acknowledgment that they too are in compliance with immigration law. It is understood that failure to do so could result in the CONTRACTOR being liable for any violation of the law by such third parties.
- 4. The CONTRACTOR will fully cooperate with and have its contractors, subcontractors, suppliers and vendors to fully cooperate with, all inquiries and investigations conducted by any governmental agency in connection with proper compliance with the laws pertaining to appropriate work authorization in the United States.
- 5. The undersigned, on behalf of the CONTRACTOR, acknowledges that this Certification may be relied upon by the CITY, its officers, directors, employees, and affiliates or related persons and entities.
- 6. If it is found that the CONTRACTOR has not complied with the laws pertaining to proper employment authorization, and any legal and administrative action ensues against the CITY, the CONTRACTOR will indemnify, defend and hold the CITY harmless along with their officers, directors, employees, and affiliated or related persons and entities.
- 7. The CONTRACTOR acknowledges that the CITY by their authorized representatives shall have the right, at any time, upon 24 hours notice, to examine the CONTRACTOR's books and records to confirm that the CONTRACTOR is in compliance with the terms of this certification.

Executed this day of	, 2011.
By:	
<u>AC</u>	<u>CKNOWLEDGMENT</u>
CENTED OF	
STATE OF	_
COUNTY OF	
SWORN TO AND SUBSCRIBED be	efore me this,
The Affiant,	, is [] personally known to me or [
	as identification, which is current or five years and bars a serial number of other
identifying number.	
	Print Name:
	NOTARY PUBLIC - STATE OF
	Commission Number:
	My Commission Expires:
	(Notary Seal)

 $543759 \ v_01 \setminus 016763.0001 \ REV. \ 12\text{-}27\text{-}07 \ RDP$