

**CITY OF NAPLES
PURCHASING DIVISION
CITY HALL, 735 8TH STREET SOUTH
NAPLES, FLORIDA 34102
PH: 239-213-7100 FX: 239-213-7105**

ADDENDUM NUMBER 2

NOTIFICATION DATE:	BID TITLE:	BID NUMBER:	BID OPENING DATE & TIME:
4/04/12	City of Naples – Sidewalk Installation River Park	033/12	04/20/12 2:00PM

**THE FOLLOWING INFORMATION IS HEREBY INCORPORATED INTO,
AND MADE AN OFFICIAL PART OF THE ABOVE REFERENCED BID.**

BID OPENING DATE CHANGE: APRIL 20, 2012 AT 2:00 PM

CLARIFICATION OF THE WALL DESCRIPTION (Item 13, Page 7 of Addendum 1):

The concrete retaining wall denoted on the plans and bid tabulation shall be defined as an interlocking gravity retaining wall system utilizing a minimum block size of 4” high x 8” wide x 8” deep and shall not exceed 8” high x 12” wide x 12” deep. Color samples shall be provided to the Engineer prior to ordering retaining wall for color determination. Installation methods shall be installed per manufacturer’s standards. All references to a retaining wall for this project shall meet the requirements as specified.

IMPORTANT MESSAGE

PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM ON THE BID COVER SHEET.

HEIGHT: 1.65 FT
LENGTH: 35 FT
WIDTH: 2 FT

IMPORTANT MESSAGE

PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM ON THE BID COVER SHEET.